



## 2020/21 Product Guide

---

### SYSTEM PACKAGES

- |    |                           |
|----|---------------------------|
| 1  | Maxim™ III (IMA-520)      |
| 2  | Forum™ 232 (IMA-232)      |
| 3  | Spectrum™ III (IMA-820)   |
| 5  | Matrix™ (IMA-120)         |
| 8  | VoiceLink™ Plus (IMA-100) |
| 9  | Quantum™ II (IRC-360)     |
| 10 | VoiceLink™ I (IR-100)     |

### COMPONENTS

- |    |                                  |
|----|----------------------------------|
| 11 | Speakers                         |
| 11 | Amplifiers                       |
| 11 | Sensors                          |
| 11 | Wall Control Panels              |
| 11 | Mounts                           |
| 12 | Microphones, Batteries, Chargers |
| 12 | Replacement Parts                |
| 13 | Terms and Conditions             |



## Maxim™ III (IMA-520)

System is based on the Maxim III (IMA-520) 50-watt digital class D amplifier/mixer with automatic energy saving “sleep” mode, two infrared microphone receivers, four line inputs (with one computer anti-hum circuit), Lesson Capture output, ALD output, fire alarm first priority, intercom page muting and pass-through, five band equalizer, Security Alert feature, Digital Feedback Guard and RS-232 connection for control panel.

Each system also includes a ceiling dome sensor with 50’ plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



SYSTEM WITHOUT SPEAKERS

MICROPHONES

SENSOR

CHARGERS

4-SPEAKER PACKAGES

PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRM-5650	1	1	1		1		IRM-5650/CS4		IRM-5650/WM4	IRM-5650/LS4
IRM-5630	1	1	1	1		1	IRM-5630/CS4		IRM-5630/WM4	IRM-5630/LS4
IRM-5655	2		1		1		IRM-5655/CS4		IRM-5655/WM4	IRM-5655/LS4
IRM-5620		2	1			2	IRM-5620/CS4		IRM-5620/WM4	IRM-5620/LS4
IRM-5150	1		1	1			IRM-5150/CS4		IRM-5150/WM4	IRM-5150/LS4
IRM-5120		1	1			1	IRM-5120/CS4		IRM-5120/WM4	IRM-5120/LS4
IRM-5155	1		1		1		IRM-5155/CS4		IRM-5155/WM4	IRM-5155/LS4

WC-400 Wall Mount Cabinet (Holds Maxim III and BRC-60 charger)

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with 50’ plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25’ plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)



## Forum™ 232 (IMA-232)

System is based on the Forum 232 (IMA-232) 50-watt digital class D amplifier/mixer. two infrared microphone receivers, two line inputs (with one computer anti-hum circuit), Lesson Capture output, ALD output, three band equalizer, Security Alert feature, Digital Feedback Guard and RS-232 connection for control panel. Each system also includes ceiling dome sensor with 50' plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



SYSTEM WITHOUT SPEAKERS	MICROPHONES		SENSOR	CHARGERS			4-SPEAKER PACKAGES			
PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRF-2650	1	1	1		1		IRF-2650/CS4		IRF-2650/WM4	IRF-2650/LS4
IRF-2630	1	1	1	1		1	IRF-2630/CS4		IRF-2630/WM4	IRF-2630/LS4
IRF-2655	2		1		1		IRF-2655/CS4		IRF-2655/WM4	IRF-2655/LS4
IRF-2620		2	1			2	IRF-2620/CS4		IRF-2620/WM4	IRF-2620/LS4
IRF-2150	1		1	1			IRF-2150/CS4		IRF-2150/WM4	IRF-2150/LS4
IRF-2120		1	1			1	IRF-2120/CS4		IRF-2120/WM4	IRF-2120/LS4
IRF-2155	1		1		1		IRF-2155/CS4		IRF-2155/WM4	IRF-2155/LS4
WC-400	Wall Mount Cabinet (Holds Forum 232 and BRC-60 charger)									

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50' plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25' plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)



## Spectrum™ III (IMA-820)

System is based on the Spectrum III (IMA-820) which supports 8 speakers with 4 amplified output channels of 25W each, 100-watt digital class D amplifier/mixer with automatic energy saving “sleep” mode, two infrared microphone receivers, four line inputs (with one computer anti-hum circuit), Lesson Capture output, ALD output, fire alarm first priority, intercom page muting and pass-through, five band equalizer, Security Alert feature, Digital Feedback Guard and RS-232 connection for control panel. Each system also includes a ceiling dome sensor with 50’ plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



### SYSTEM WITHOUT SPEAKERS

### MICROPHONES

### SENSOR

### CHARGERS

### 4-SPEAKER PACKAGES

PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRS-8650	1	1	1		1		IRS-8650/CS4		IRS-8650/WM4	IRS-8650/LS4
IRS-8630	1	1	1	1		1	IRS-8630/CS4		IRS-8630/WM4	IRS-8630/LS4
IRS-8655	2		1		1		IRS-8655/CS4		IRS-8655/WM4	IRS-8655/LS4
IRS-8620		2	1			2	IRS-8620/CS4		IRS-8620/WM4	IRS-8620/LS4
IRS-8150	1		1	1			IRS-8150/CS4		IRS-8150/WM4	IRS-8150/LS4
IRS-8120		1	1			1	IRS-8120/CS4		IRS-8120/WM4	IRS-8120/LS4
IRS-8155	1		1		1		IRS-8155/CS4		IRS-8155/WM4	IRS-8155/LS4

WC-400 Wall Mount Cabinet (Holds Spectrum III and BRC-60 charger)

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50’ plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25’ plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)



## Spectrum™ III (IMA-820)

System is based on the Spectrum III (IMA-820) which supports 8 speakers with 4 amplified output channels of 25W each, 100-watt digital class D amplifier/mixer with automatic energy saving “sleep” mode, two infrared microphone receivers, four line inputs (with one computer anti-hum circuit), Lesson Capture output, ALD output, fire alarm first priority, intercom page muting and pass-through, five band equalizer, Security Alert feature, Digital Feedback Guard and RS-232 connection for control panel. Each system also includes a ceiling dome sensor with 50’ plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



### SYSTEM WITHOUT SPEAKERS

### MICROPHONES

### SENSOR

### CHARGERS

### 8-SPEAKER PACKAGES

PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRS-8650	1	1	1		1		IRS-8650/CS8		IRS-8650/WM8	IRS-8650/LS8
IRS-8630	1	1	1	1		1	IRS-8630/CS8		IRS-8630/WM8	IRS-8630/LS8
IRS-8655	2		1		1		IRS-8655/CS8		IRS-8655/WM8	IRS-8655/LS8
IRS-8620		2	1			2	IRS-8620/CS8		IRS-8620/WM8	IRS-8620/LS8
IRS-8150	1		1	1			IRS-8150/CS8		IRS-8150/WM8	IRS-8150/LS8
IRS-8120		1	1			1	IRS-8120/CS8		IRS-8120/WM8	IRS-8120/LS8
IRS-8155	1		1		1		IRS-8155/CS8		IRS-8155/WM8	IRS-8155/LS8

WC-400 Wall Mount Cabinet (Holds Spectrum III and BRC-60 charger)

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50’ plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25’ plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)





CPS-120 Remote Control Package

## Matrix™ (IMA-120)

System is based on the Matrix (IMA-120) 50-watt digital Class D amplifier/mixer with metal screw mountable chassis, two infrared microphone receivers, two line inputs, one auxiliary output, bass-treble equalizer, Security Alert feature, and Digital Feedback Guard. System also includes a pre-programmed remote wall-mount touch control panel (CPS-120) with Bluetooth link (standard RJ-45 terminated interconnecting cable not included), one ceiling dome sensor with 50' plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



### SYSTEM WITHOUT SPEAKERS

### MICROPHONES

### SENSOR

### CHARGERS

### 4-SPEAKER PACKAGES


PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRP-1650	1	1	1		1		IRP-1650/CS4		IRP-1650/WM4	IRP-1650/LS4
IRP-1630	1	1	1	1		1	IRP-1630/CS4		IRP-1630/WM4	IRP-1630/LS4
IRP-1655	2		1		1		IRP-1655/CS4		IRP-1655/WM4	IRP-1655/LS4
IRP-1620		2	1			2	IRP-1620/CS4		IRP-1620/WM4	IRP-1620/LS4
IRP-1150	1		1	1			IRP-1150/CS4		IRP-1150/WM4	IRP-1150/LS4
IRP-1120		1	1			1	IRP-1120/CS4		IRP-1120/WM4	IRP-1120/LS4
IRP-1155	1		1		1		IRP-1155/CS4		IRP-1155/WM4	IRP-1155/LS4

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with 50' plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25' plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)



CPR-125 Remote Control Package

## Matrix™ (IMA-120)

System is based on the Matrix (IMA-120) 50-watt digital Class D amplifier/mixer with metal screw mountable chassis, two infrared microphone receivers, two line inputs, one auxiliary output, bass-treble equalizer, Security Alert feature, and Digital Feedback Guard. System also includes a pre-programmed remote wall-mount touch control panel (CPR-125) with Bluetooth link (standard RJ-45 terminated interconnecting cable not included), one ceiling dome sensor with 50' plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable.



SYSTEM WITHOUT SPEAKERS	MICROPHONES		SENSOR	CHARGERS			4-SPEAKER PACKAGES			
PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRP-1650R	1	1	1		1		IRP-1650R/CS4		IRP-1650R/WM4	IRP-1650R/LS4
IRP-1630R	1	1	1	1		1	IRP-1630R/CS4		IRP-1630R/WM4	IRP-1630R/LS4
IRP-1655R	2		1		1		IRP-1655R/CS4		IRP-1655R/WM4	IRP-1655R/LS4
IRP-1620R		2	1			2	IRP-1620R/CS4		IRP-1620R/WM4	IRP-1620R/LS4
IRP-1150R	1		1	1			IRP-1150R/CS4		IRP-1150R/WM4	IRP-1150R/LS4
IRP-1120R		1	1			1	IRP-1120R/CS4		IRP-1120R/WM4	IRP-1120R/LS4
IRP-1155R	1		1		1		IRP-1155R/CS4		IRP-1155R/WM4	IRP-1155R/LS4

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50' plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25' plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)



## Matrix™ (IMA-120)

System is based on the Matrix (IMA-120) 50-watt digital Class D amplifier/mixer with metal screw mountable chassis, two infrared microphone receivers, two line inputs, one auxiliary output, bass-treble equalizer, Security Alert feature, and Digital Feedback Guard. System also includes one ceiling dome sensor with 50' plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of speaker packages including plenum-rated 18 gauge speaker cable. NO WALL CONTROL PANEL included in this package.



### SYSTEM WITHOUT SPEAKERS

### MICROPHONES

### SENSOR

### CHARGERS

### 4-SPEAKER PACKAGES

PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
IRP-1650X	1	1	1		1		IRP-1650X/CS4		IRP-1650X/WM4	IRP-1650X/LS4
IRP-1630X	1	1	1	1		1	IRP-1630X/CS4		IRP-1630X/WM4	IRP-1630X/LS4
IRP-1655X	2		1		1		IRP-1655X/CS4		IRP-1655X/WM4	IRP-1655X/LS4
IRP-1620X		2	1			2	IRP-1620X/CS4		IRP-1620X/WM4	IRP-1620X/LS4
IRP-1150X	1		1	1			IRP-1150X/CS4		IRP-1150X/WM4	IRP-1150X/LS4
IRP-1120X		1	1			1	IRP-1120X/CS4		IRP-1120X/WM4	IRP-1120X/LS4
IRP-1155X	1		1		1		IRP-1155X/CS4		IRP-1155X/WM4	IRP-1155X/LS4

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50' plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25' plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)





## VoiceLink™ Plus (IMA-100)

System is based on the VoiceLink Plus (IMA-100) 20-watt amplifier/mixer with mounting brackets, one infrared microphone receiver, and one line input. System also includes a ceiling dome sensor with 50' plenum-rated cable (ICS-55), a microphone and charger package with a Sapphire (IRT-55N or IRT-60N) handsfree transmitter/microphone (with muting, remote line input and remote volume control) or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101) and choice of 4- and 2-speaker packages including plenum-rated 18 gauge speaker cable.



SYSTEM WITHOUT SPEAKERS	MICROPHONES		SENSOR	CHARGERS			SPEAKER PACKAGES			
PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101	SP-628	OR	SP-2000	SP-628L
							4-SPEAKER PACKAGES			
IRV-3150	1		1	1			IRV-3150/CS4		IRV-3150/WM4	IRV-3150/LS4
IRV-3120		1	1			1	IRV-3120/CS4		IRV-3120/WM4	IRV-3120/LS4
IRV-3155	1		1		1		IRV-3155/CS4		IRV-3155/WM4	IRV-3155/LS4
							2-SPEAKER PACKAGES			
IRV-3150	1		1	1			IRV-3150/CS2		IRV-3150/WM-2	IRV-3150/LS2
IRV-3120		1	1			1	IRV-3120/CS2		IRV-3120/WM-2	IRV-3120/LS2
IRV-3155	1		1		1		IRV-3155/CS2		IRV-3155/WM-2	IRV-3155/LS2

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50' plenum-rated RCA cable

### SPEAKER PACKAGES INCLUDE:

- 25' plenum-rated 18 gauge speaker wire per speaker
- CS4 speaker package comes with Tile Bridges (4 x TB-6.1)

## Quantum™ II (IRC-360)

Portable or wall mounted as an all-in-one package. The Quantum II column speaker with a built-in (30 watt) amplifier with automatic energy saving sleep mode, two infrared microphone receivers, built-in infrared sensors, line input, ALD/recording output, Digital Feedback Guard, tone control, and a wall mount bracket (IRC-360). System also includes a microphone and charger package with a Sapphire (IRT-55N or IRT-60N) handsfree transmitter/microphone (features Security Alert, Teacher Priority, muting, remote line input and remote volume control) and/or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101).



MICROPHONES

CHARGERS

PART #	IRT-60N	IRH-35	BRC-15	BRC-60	BRC-101
IRQ-3650	1	1		1	
IRQ-3630	1	1	1		1
IRQ-3655	2			1	
IRQ-3620		2			2
IRQ-3150	1		1		
IRQ-3120		1			1
IRQ-3155	1			1	

## Accessories

IRC-360	Quantum II (without microphones)
WM-320	Wall Bracket, supports IRC-360 or UQS-301
ICS-55	Ceiling dome sensor with 6 large diodes & 50' dual shielded plenum-rated sensor cable.



### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)



## VoiceLink™ I (IR-100)

Single channel infrared wireless receiver with line input, line output for recording, and mounting brackets (IR-100); remote ceiling IR sensor (ICS-55), a Sapphire (IRT-55N or IRT-60N) handsfree transmitter/microphone (with muting, remote line input and remote volume control) or a handheld transmitter/microphone (IRH-35), batteries and battery charger(s) (BRC-60, BRC-15, BRC-101).



### SYSTEM WITHOUT SPEAKERS

### MICROPHONES

### SENSOR

### CHARGERS

PART #	IRT-60N	IRH-35	ICS-55	BRC-15	BRC-60	BRC-101
IRV-1150	1		1	1		
IRV-1120		1	1			1
IRV-1155	1		1		1	

### MICROPHONE PACKAGES INCLUDE:

- IRH-35 Handheld microphone includes rechargeable AA batteries (2 x BR-AA)
- ICS-55 Ceiling dome sensor comes with with 50' plenum-rated RCA cable

## Speaker Packages

Two SP-628 Ceiling Speakers, TB-6.1 tile bridges and 50' wire	CS2
Four SP-628 Ceiling Speakers, TB-6.1 tile bridges and 100' wire	CS4
Two SP-628L Lay-In Ceiling Speakers and 50' wire	LS2
Four SP-628L Lay-In Ceiling Speakers and 100' wire	LS4
Two SP-2000 Wall mount/book shelf speakers and 50' wire	WM2
Four SP-2000 Wall mount/book shelf speakers and 100' wire	WM4

### Note:

For variations of 6 or 8 speakers, simply add two of the corresponding package, e.g. 2 x CS4 to get 8 speakers w/ 8 tile bridges (TB 6.1) and 25' wire per speaker

## Speakers

Ceiling speaker, 6.5" two-way, 8 ohm, metal back can (ETL plenum rated conforms to UL2043 standard)	SP-628 (aka SPKR-628)
Tile bridge for SP-628, galvanized steel	TB-6.1
Lay-in ceiling speaker (complete speaker assembly with 6.5" two-way, 8 ohm, metal back can speaker, grill tile bridge and ceiling "T" bar) (ETL plenum rated conforms to UL2043 standard)	SP-628L
Wall mount/ book shelf speaker (White), two-way, 8 ohm, mounting bracket	SP-2000
1000ft. spool, speaker wire, plenum-rated 18 gauge, 2-conductor, plenum rated speaker cable.	SWIR-18/2-PI

## Amplifiers/Receivers

Maxim III Amplifier, two infrared receivers base station	IMA-520
Forum 232 Amplifier, two infrared receivers base station	IMA-232
Spectrum III Amplifier, two infrared receivers base station	IMA-820
Matrix Amplifier, two infrared receivers base station (must add panel)	IMA-120
VoiceLink Plus, single channel infrared receiver/amplifier	IMA-100
Quantum II (without microphones)	IRC-360
VoiceLink I Single channel infrared receiver (Ch. A)	IR-100
VoiceLink III Two channel infrared receiver (Ch. A&B) DISCONTINUED	IR-255

## Sensors

Ceiling dome sensor with 6 large sensing diodes & 50' dual shielded plenum-rated sensor cable.	ICS-55
50' dual shielded plenum-rated sensor cable.	SNC-50
35' dual shielded plenum-rated sensor cable.	SNC-35

## Wall Control Panels (For use with IMA-120 Matrix)

Wall mount control panel with Bluetooth	CPS-120
Wall mount control panel with Bluetooth Call and Emergency buttons for Rauland intercom system	CPR-125

## Rack Mounts and Wall Mounts

Wall mount cabinet for Forum, Forum232, Maxim III & Spectrum III & VoiceLink III	WC-400
Shelf mount Kit for Forum, Forum232, Maxim III & Spectrum III & VoiceLink III	SM-401
Rack mount Kit for Forum, Forum232, Maxim III & Spectrum III & VoiceLink III	RM-268

## Infrared Microphones

Sapphire transmitter/microphone (ch. A & B) includes Lithium battery and BRC-15 plug-in charger. Suitable replacement for IRT-55, IRT-89, and IRB-30	IRT-60
Sapphire transmitter/microphone (ch. A & B) includes Lithium battery (charger not included). Suitable replacement for IRT-55, IRT-89, and IRB-30	IRT-60N
Handheld transmitter/microphone (ch. A & B)	IRH-35N
Used only with VoiceLink IV for IR channels C and D. Other mics use IR channels A and B.	IRH-40
Sapphire IR Mobile Display Transmitter	IRT-66

## Wired Microphones

Professional cardioid microphone with 15' microphone cable.	UM-66
Lapel microphone with 3.5mm right-angle connector	LM-835

## Batteries

One Duracell 2450mAh rechargeable "AA" NiMH Battery	BR-AA
Four of item BR-AA	BR-AA4
Lithium battery pack for Sapphire microphones	BR-Li

## Chargers

Plug-in wall charger for IRT-55 & IRT-60 Sapphire microphone	BRC-15
Replacement USB cable for (BRC-15) charger	RC-15
Drop-in battery charger (charges 2 Sapphires and 1 Handheld microphone)	BRC-60
Drop-in battery charger (charges 1 Handheld microphone)	BRC-101

## Replacement Parts

Replacement windscreen for Sapphire transmitter	WS-S55
IR window on front of Sapphire transmitter	WSW-S60

## Replacement Power Supplies

Replacement power supply for VoiceLink I	AC-10
Replacement power supply for VoiceLink Plus	AC-15
Replacement power supply for Quantum II, Matrix, Forum, Forum232, Maxim III	AC-36
Replacement power supply for VoiceLink III & VoiceLink IV	AC-40
Replacement power supply for Spectrum III	AC-80

# Terms and Conditions

## DISCOUNTS AND PROMOTIONS

TeachLogic may offer quantity or other discounts or promotions for the Systems in this price list. The discounts apply to systems on a single order, but not to shipping, component parts ordered, or other goods and services. Ask your sales representative for further details.

## PACKAGING

Large orders are shipped on pallets via truck lines. If your ship to location requires a liftgate, request this on your orders.

Multiple systems are normally packed for shipment with all like components together in cartons. I.e., all Sapphire microphones in one or more cartons, all amplifiers in amplifier cartons, and so forth. Upon request, orders can be packaged as "Classpacks" with all the components for each classroom system in a single carton. There is a \$6 packaging charge for this. Request Classpack on your purchase order.

## STANDARD TERMS AND CONDITIONS

Payment Terms: 1% 15, Net 30 days (UPON PRIOR APPROVAL OF CREDIT) for payment by bank ACH, wire, or check.

Invoices more than 10 days past due will commence accruing 18% interest APR from due date. If customer elects to purchase goods on credit, it is explicitly agreed that TeachLogic shall be entitled to recover all costs of collection including legal and court costs, and that actions to collect amounts owed shall be brought and adjudicated in Colorado state or federal courts.

TeachLogic also accepts VISA, MasterCard and American Express debit and credit cards, but only for orders of under \$2,000 and when paid at time of shipment. We welcome checks and ACH for all amounts.

## FREIGHT

All orders normally shipped FOB Aurora or Longmont, Colorado via UPS or USPS unless stated otherwise on purchase order. Large orders will be palletized and shipped via truck freight.

Purchases with net value (after discounts and before shipping) of over \$25,000 and shipped to a destination within the 48 contiguous United States will be provided with a discount equal to the cost of freight. The freight method will be normal (non-expedited). This offered discount is valid only if the invoice is paid within 45 days of shipping date.

## DROP SHIPMENT

No extra charge for drop shipments when the entire order is shipped to same address. However, TeachLogic accepts no responsibility for refused shipments, shipment shortage if delivery documented, unable to deliver, no such address, received by unknown or any other such discrepancy.

## RETURN POLICY

TeachLogic may, at its option, agree to accept return of goods. These are the conditions: No merchandise will be accepted for return to TeachLogic without a Return Authorization (RA) number issued by us. Unauthorized returns may or will be refused and returned to the shipper at the shipper's expense. All products returned for credit must be properly packed in original cartons and item packaging and shipped transportation prepaid. Any "free" or other shipping discounts, if any were offered and taken, are to be repaid to and billable by TeachLogic. Returned merchandise is subject to a 20% restocking charge; remaining credit will be applied towards future orders. All items must be current production models and in 'as new' condition without any blemishes, stickers or markings and in original packaging.

## LOSS OR DAMAGE

All shipments are thoroughly inspected and carefully packed before shipment. TeachLogic will carry the risk of loss of shipment to delivery at the ship-to address. You may request no coverage for shipping losses on your purchase order if desired to minimize your cost, this will lower cost approximately 1% of goods cost, depending on the carrier and mode of transportation. We urge you to inspect your shipment upon arrival for indications of freight damage. If damage to the carton is observed, open and inspect the merchandise immediately and note any discrepancies on the carrier's delivery receipt. Notify the carrier's office and request an inspection. Loss or damage claim must be placed first with the carrier.

Warranty terms may be found on our website at [www.teachlogic.com/warranty](http://www.teachlogic.com/warranty).